```
=> d his

       (FILE 'HOME' ENTERED AT 10:17:10 ON 03 FEB 1998)

       FILE 'USPAT' ENTERED AT 10:17:24 ON 03 FEB 1998
L1           38 S 707/513/CLS
L2            1 S L1 AND HTML
L3            1 S L1 AND HTTP
L4            0 S L1 AND COMMUNICATION (W) CHANNEL
L5          175 S 707/104/CLS
L6            1 S L5 AND HTTP
L7            0 S L5 AND HTML
L8           34 S L5 AND APPLICATION (W) PROGRAM
L9            3 S L8 AND ARTICLE
L10         137 S 707/10/CLS
L11          12 S L10 AND COMMUNICATION (W) CHANNEL
L12           0 S L10 AND CLIENT(W)ENVIRONMENT
L13           1 S L10 AND CLIENT (W) BASED
L14           2 S L10 AND SERVER (W) CLIENT
L15         197 S 707/3/CLS
L16           6 S L15 AND BROWSER
L17           0 S L15 AND USER(W)DEFINED(W)INPUT
L18           1 S 5187790/PN
                E MESKE, JR/IN
L19           1 S E2
L20           1 S L19 AND HTTP
L21           1 S L19 AND HTML
L22          45 S HTTP
L23          26 S L22 AND HTML
L24           1 S L23 AND COMMUNICATION(W)CHANNEL

=> d l21

1.  5,530,852, Jun. 25, 1996, Method for extracting profiles and topics
from a first file written in a first markup language and generating files
in different markup languages containing the profiles and topics for use
in accessing data described by the profiles and topics; **Carl F. Meske,
Jr.**, et al., 395/200.36; 364/280.4, 280.6, 282.4, DIG.1; 395/500;
707/501, 513 :IMAGE AVAILABLE:

=> d l24

1.  5,657,390, Aug. 12, 1997, Secure socket layer application program
apparatus and method; Taher Elgamal, et al., 380/49, 4, 25 :IMAGE
AVAILABLE:
```